


Mac OS X



Mac OS X Roots: NeXT



- 1985 Apple kicks out Jobs, who founds NeXT
- 1988 NeXTSTEP 0.8: 68k, Mach kernel, 4.3BSD, Display PostScript, new Objective-C, platform for first web browser at CERN
- 1990 NeXTSTEP 2.0: Interface Builder (OO)
- 1993 Intel, SPARC, HP PA-RISC support (fat binaries), NeXT hardware dead
- NeXT&Sun: OPENSTEP, used by SunOS, HP-UX, MacOS, also on Windows NT, GNUstep




Mac OS X Roots: NeXT

- 1996 Apple purchases NeXT, Jobs back at Apple, begins replacing Mac OS towards NeXTSTEP
- 1999 Apple releases Mac OS X Preview
- Mac OS X is directly derived from NeXTSTEP/ OPENSTEP (Mach/BSD, Objective-C, Cocoa, Interface Builder, NetInfo), and combines this with other Apple technologies (UI, Classic, Multimedia)



It's spelled "Ten"

Mac OS X: Architecture



5



Base Operating System

- Darwin (Open Source for PowerPC+Intel)
- Based on a Mach microkernel + BSD Unix
- Protected memory, preemptive multitasking
 - Single application cannot corrupt/freeze entire system

6



Graphics and Event Library

- Quartz 2D / Core Graphics, Display PDF
- Roots: NeWS, NeXTSTEP (Display PostScript)
- Vector-based, resolution-independent
- Quartz Extreme: GPU-based compositing (pipe entire screen through OpenGL if available)
- Quartz Extreme 2D / QuartzGL: GPU-based UI rendering (still experimental)
- Vista's XPS is similar to (Display) PDF
- The Event Library is contained in IO Kit

7




Demo: Quartz Extreme

8



User Interface Toolkit

- Cocoa AppKit, OO framework
- Implements Aqua Look&Feel
- Other part of Cocoa (Foundation framework) contains threads, sockets, etc.
- Written in Objective-C



- Cocoa is the recommended API for Mac OS X
 - Can be used with Objective-C or Java*
- J2SE 5.0 SDK is used for 100% Java/Swing applications
- Carbon is an updated version of the old Macintosh Toolbox
 - Used to easily port existing applications
 - Carbon apps run on Mac OS 9 and Mac OS X
- BSD is used for existing standard Unix applications
- WebObjects for web-based services



* Multi-API Problems

- Mac OS X has tried to please everyone
- Problem: High cost for supporting many APIs
- Consequences in 2006:
 - No new Java bindings for new Cocoa features in Mac OS X 10.5 and beyond (= "Use Objective-C!")
 - New Intel Macs do not support Classic Mac OS emulation anymore (= "Classic's dead!")
- But: New bridges for Ruby and Python since Leopard




Steve Jobs burying Mac OS 9 at WWDC 2002 (personal photo)



Event Handling

- Similar to our Reference Model
- Window Server distributes events to per-application (really per-process) queues



Objective-C

- Implementation language of the Cocoa framework
- Created in 1983 to combine OO principles with C
 - Inspired by [Smalltalk](#)
- In its concepts very similar to Java, unlike C++
- **Dynamic** typing, binding, and loading
- **Protocols** are analogous to Java's interfaces
- **Classes are objects** of type Class
 - **Reflection** possible (not in C++)
- Introduces few new language constructs to C



Objective-C: New C Language Constructs

- `status = [socket connectToAddress:127.0.0.1 withPort:80]` is analogous to Java's `status = socket.connectToAddressWithPort(127.0.0.1, 80);`
- — for instance methods, + for class methods
- `id` corresponds to Object, `self` corresponds to this
- @ compiler directives
 - `@interface..@end, @implementation..@end,..`
- Interface categories allow transparent subclassing



Dynamic Typing/Binding/Loading

- C++ is a static language, Java and Obj-C are dynamic
 - In C++, you cannot directly call a method defined in a subclass (e.g., `Tshape.draw()`) from an object of a superclass (e.g., `TObject`) —even if you know you could.
 - Example: Building objects from data read from a file
 - The compiler prevents such code from building
 - You would have to do a `dynamic_cast<>`
 - Obj-C (and Java) move this check to run-time
 - In C++, a superclass must either contain all the methods any subclass will use, or it must be mixed in using multiple inheritance. To add a method to the superclass, all subclasses must be recompiled (fragile base class problem)
 - Dynamic Binding avoids bloated superclasses, and minimizes recompilation due to this problem



Demo: Dynamic Binding



Objective-C 2.0 (since Leopard)

- Supports **automatic accessor method generation** for object properties
- Allows Java-like **short-hand syntax** to access properties
 - `[object setName:newName];`
`object.name = newName;`
- Features an optional **garbage collection**
- Supports **fast enumeration** of collections
 - `for (object in list) {`
`[object doSomething];`
`}`



Cocoa

- The UITK (and general toolkit) of Mac OS X
 - Evolved out of NeXTSTEP
 - Cocoa's class names still give away its heritage (`NSObject`,...)
- Two main parts
 - **Foundation**: Basic programming support
 - `NSObject`, values, strings, collections, OS services, notifications, archiving, Objective-C language services, scripting, distributed objects
 - **AppKit**: Aqua interface
 - Interface, fonts, graphics, color, documents, printing, OS support, international support, `InterfaceBuilder` support
 - Largest part (over 100) are interface widgets



Cocoa Class Hierarchy

`NSObject`

`NSEvent`

`NSResponder`

`NSWindow`

`NSView`

`NSControl`

`NSButton` etc.

`NSApplication`

`NSCell` (lightweight controls)

`NSMenu`

`NSMenuItem`

etc.

- Fairly **flat** hierarchy
- Reason: **Delegates**, and **categories** can be used to mix in functionality
 - no deep subclassing required
- Full hierarchy: see Online Help in **Xcode**



Delegates

- Similar to Listeners in Java
- A delegate is a class whose methods are called from another class that wants to **plan for extending its functionality**
- E.g., you can write a delegate class for NSTableView that will get called when the user changes the width of a column
- Delegates solve the **fragile base class** problem
 - If NSTableView is changed, the delegate class doesn't need to be recompiled



Example: NSTableView Delegate Methods

Moving and resizing columns

- tableView:didDragTableColumn:
- tableView:columnDidMove:
- tableView:columnDidResize:

Selecting in table

- selectionShouldChangeInTableView:
- tableView:shouldSelectRow:
- tableView:shouldSelectTableColumn:
- tableView:selectionIsChanging:
- tableView:selectionDidChange:

Responding to mouse events

- tableView:didClickTableColumn:
- tableView:mouseDownInHeaderOfTableColumn:

Editing a cell

- tableView:shouldEditTableColumn:row:

Displaying a cell

- tableView:willDisplayCell:forTableColumn:row:

Displaying tooltips

- tableView:tooltipForCell:rect:tableColumn:row:mouseLocation:

Allowing variable height rows

- tableView:heightOfRow:



Protocols

- Similar to Java's interfaces
- Mostly replace the need for multiple inheritance



Categories: Extending a class without subclassing

- Example: Add a “find&replace” method to NSString
- Could **subclass** “MyNSString”—but then have to change all code to use that new class
- Could **change** NSString itself—but that would require access to the source code for that class (and recompiling, rebinding any code using it,...)
- Instead: Create a **category** “NSStringExtensions”:

```
@interface NSString (NSStringExtensions)
- (NSString *)find:(NSString *)findString
replaceWith:(NSString *)replaceString;
@end
```
- **Any code** using NSString can now use the find:replaceWith: method
- An advantage of the **Dynamic Loading** possible with Objective-C



Demo: Categories



Events and Actions

- **Events** are generated by user or system (e.g., periodic events)
 - Corresponds to input “I” from our formal widget model
- **Actions** are generated by objects (e.g., menus) in response to lower-level events
 - Corresponds to actions “A” from our formal widget model
 - InterfaceBuilder lets developer connect actions to custom objects (e.g., from a button to a custom class), using “IBAction” constant in the source



Responders

- Most objects are subclasses of **NSResponders** and can respond to events
- **NSApplication** can find a responder that can handle an event (`respondToSelector`), then call its method directly
- Framework takes care of **Responder Chain**
 - Events are passed on along the responder chain (key window → main window → application) until they can be handled by some object
- Applications, windows, views, etc. can be extended by adding a delegate without having to subclass them



Outlets

- **Outlets** are instance variables to refer to other objects
 - InterfaceBuilder knows about them and lets the developer connect outlets graphically (“IBOutlet” constant)
 - Example: A custom class that wants to display a result in a text field needs an outlet






Interface Builder

- Graphical tool to create UIs for Cocoa (and Carbon) applications
- Tied into development environment (Xcode)
- Resources are stored in **xib** files (**XML Interface Builder**)
 - used to be **nib** (**NeXTSTEP Interface Builder**)
- An application reads its main xib file automatically when it starts up
- Additional xib files can be read when needed (for transient dialogs, etc.)



Aside: MVC



Demo: Interface Builder Basics



Review

- What previous operating system is Mac OS X based upon?
- What is the underlying operating system of Mac OS X? What are its key characteristics?
- What is Mac OS X's GEL? Characteristics?
- What is Mac OS X's UITK? Characteristics?
- Characteristics of Objective-C?
- Connection between Interface Builder and Code



Interface Builder: Defining the Look

- Interface Builder supports the developer when visually laying out the user interface
- Guides (similar to Photoshop) help to adhere to the visual aspects of the Aqua Design Guidelines (the Mac OS X Look and Feel)
- This helps design the **View** in the MVC (Model–View–Controller) paradigm



Demo: Interface Builder —Layout Support




Interface Builder: Defining the Feel

- Not just visually define the widgets in a UI (specify static UI layout—which is what most UIDS support), but also connections between widgets and custom classes of the application (**dynamic** UI behavior)
- Linking **View** and **Controller**
- Can even synthesize **Controller** to directly link **View** and **Model**
- UI can be tested inside Interface Builder without compiling(!) or writing any code



Example

User input via an NSButton is connected to the convert() method of a custom TempController class in an application.



Demo: Interface Builder Connecting Actions, Testing



Interface Builder: Defining the Feel

- Suggests a more **user-centered** implementation process that starts with the user interface, not the application functionality
- Interface Builder synchronizes with source code skeleton that can then be filled in
- Interface Builder uses special constants to include hints about outlets and actions in the source code



Cocoa Bindings

- Cocoa Bindings are an approach to keep MVC Model and MVCView synchronized without having to write a lot of glue code
- Example: Keeping a displayed table of students (View) synchronized with the corresponding array (Model) of data in memory, and also with a label showing the number of students (another View)
- Cocoa Bindings define the MVC *Controller*




Demo: Cocoa Bindings in Interface Builder



Core Data: Defining the MVC Model

- Object-graph management and persistence framework
- To define application data model graphically
- Provides common functionality
 - Undo, Redo
 - Persistence (save to disk, read from disk in XML or SQLite format)



Demo: Core Data



Core Image, Core Video, Core Audio, Core Animation

- Core Image: Framework for GPU-accelerated still image display, contains a large and extensible set of Image Units (visual effects, transitions, and filters) that can be combined at runtime, and used by any app developer
- Core Video: Services for video; bridge between QuickTime and the GPU
- Core Audio: toolbox of Audio Units for audio effects and digital audio signal processing
- Core Animation: implicit animation support for the UI



Blur	Distortion Filters	Geometry Filters
<ul style="list-style-type: none"> • Median Blur • Gaussian Blur • Motion Blur • Zoom Blur • Noise Reduction 	<ul style="list-style-type: none"> • Pinch Distortion • Hole Distortion • Bump Distortion • Displacement Distortion • Glass Distortion • Glass Lozenge • Torus Lens Distortion • Twirl Distortion • Vortex Distortion • Circle Splash Distortion • Circular Wrap Distortion 	<ul style="list-style-type: none"> • Affine Transform • Crop • Perspective Transform • Lanczos Scale Transform
Color Adjustment Filters	Generator Filters	Half-tone Filters
<ul style="list-style-type: none"> • Color Controls • Color Matrix • Exposure Adjust • Gamma Adjust • Hue Adjust • White Point Adjust • Color Cube 	<ul style="list-style-type: none"> • Checkerboard • Constant Color • Lenticular Halo • Star Shine • Stripes • Sunbeams • Random Generator 	<ul style="list-style-type: none"> • CMYK Halftone • Circular Screen • Dot Screen • Hatched Screen • Line Screen
Color Filters	Color Blend Mode	Stylish Filters
<ul style="list-style-type: none"> • Color Map • Color Invert • Color Monochrome • Color Posterize • False Color • Sepia Tone • Mask to Alpha 	<ul style="list-style-type: none"> • Color Dodge Blend Mode • Color Burn Blend Mode • Darken Blend Mode • Difference Blend Mode • Exclusion Blend Mode • Hard Light Blend Mode • Hue Blend Mode • Lighten Blend Mode • Luminosity Blend Mode • Multiply Blend Mode • Overlay Blend Mode • Saturation Blend Mode • Screen Blend Mode 	<ul style="list-style-type: none"> • Blend with Mask • Edge Work • Height Field from Mask • Pointillize • Shaded Material • Bloom • Edges • Bloom • Pixellate • Spot Light • Crystallize
Compositing Filters	Tile Filters	Transition Filters
<ul style="list-style-type: none"> • Addition • Maximum • Minimum • Multiply • Source Atop • Source In • Source Out • Source Over 	<ul style="list-style-type: none"> • Affine Clamp • Affine Tile • Op Tile • Parallelogram Tile • Perspective Tile • Triangle Tile • Kaleidoscope 	<ul style="list-style-type: none"> • Page Curl • Copy Machine • Dissolve • Flash • Mod • Ripple • Swirl
Gradient Filters	Sharpen Filters	
<ul style="list-style-type: none"> • Gaussian Gradient • Linear Gradient • Radial Gradient 	<ul style="list-style-type: none"> • Sharpen Luminance • Unsharp Mask 	



Demo: Core Image Fun House




Demo: Core Video— Quartz Composer



Demo: Core Audio—AULab



Demo: Core Animation



Mac OS X's secret double life catches up to him.



Intel Fun

- Since 2005, Apple has moved from PowerPC to Intel processors
- Transparent to user
 - Universal Binaries + Rosetta
- Demo: Building a Universal Binary



Windows Fun

- Since 2006, Apple supports installing and running Windows XP as dual boot option on Apple hardware (using “Bootcamp”)
- Alternatively, virtual machine solutions enable other OSes (Win, Linux) to be run inside Mac OS X (similar to VMware)



Demo: Parallels Desktop



Webclips, Dashcode, Automator

- Webclips
 - Windows to websites
 - Updated automatically
- Dashcode
 - Programming environment for Dashboard Widgets
 - Bases on web technology (JavaScript, HTML, Images)
- Automator
 - End user scripting tool
 - Like graphical shell scripts



Demo: Webclips, Dashcode, Automator



More Information

- Apple Developer Documentation:
<http://developer.apple.com/>

